

Prenatal Immunization Status (PRS-E)

New for 2025

- No applicable changes for this measure

Definition

Members who had a live birth in the measurement period (Jan. 1-Dec. 31 of the measurement year) and who have had the following vaccinations in the recommended time frame:

- 1 influenza vaccine
- 1 Td/Tdap vaccine

Plans(s) affected	Quality program(s) affected	Collection and reporting method
<ul style="list-style-type: none"> • Commercial • Medicaid 	<ul style="list-style-type: none"> • NCQA Health Plan Ratings • Select state reporting 	<ul style="list-style-type: none"> • Electronic data only

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Influenza vaccine

- Number of doses: 1
- Vaccine administered on or between July 1 of the year prior to measurement year and the delivery date
- Anaphylaxis due to the influenza vaccine will count toward compliance

CPT®/CPT II	90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756
CVX	88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, 185, 186, 197, 205
SNOMED	471361000124100, 86198006

Prenatal Immunization Status (PRS-E) (cont.)

Tdap

- Vaccine administered during the pregnancy (including delivery date)
- Anaphylaxis or encephalitis due to the diphtheria, tetanus or pertussis vaccine on or before the delivery date will count toward compliance

CPT®/CPT II

90715

SNOMED

192710009, 192711008, 192712001, 390846000, 412755006, 412756007,
412757003, 428251000124104, 428281000124107, 428291000124105,
571571000119105

Required exclusion(s)

Exclusion

- Members in hospice or using hospice services
- Members who died
- Deliveries that occurred at less than 37 weeks gestation

Time frame

Any time during the
measurement year

Prenatal Immunization Status (PRS-E) (cont.)

Tips and best practices to help close this care opportunity

- **Standing orders** can help your office staff be part of the vaccination process
 - Offer vaccine information sheets (VIS) to read while patients wait
 - Medical assistants can verify interest and obtain the vaccine to be administered
 - Train staff to answer questions, administer and document in the patient's chart
 - Consider having front office staff offer VISs in the patient's preferred language
 - Immunize.org offers numerous translations that can be selected and printed, as needed
- Have **office staff wear pins** that show they've been vaccinated to help prompt patients to ask questions
 - Example: A 'Got my flu shot' button may prompt someone to ask if flu shots are available
- Stock vaccines in your office to make the visit a single stop for the patient and leverage trained staff to administer as part of their visit
- Consider which vaccines are most commonly needed based on your community
- Have a quick reference where patients can get vaccines not stocked at your office
- Place images and information about vaccinations throughout your office, including that they may be covered by the patient's health plan or low cost, on:
 - Posters
 - Placards
 - Stickers on charts
- Sharing member demographic data is critical to understanding the cultural, linguistic and social needs of those we serve and decreasing health inequities across the care continuum. This data can include, but is not limited to, race, ethnicity, language, sexual orientation, gender identity, pronouns, sex assigned at birth and disability status.
 - As part of the UnitedHealthcare clinical structured data exchange program, we encourage you to include this demographic data with any structured data file or CCD. Your information is confidential. UnitedHealthcare will keep personally identifiable information confidential and won't disclose any information without your written consent.